

SYNTULA 0W20 C5

SYNTULA 0W20 C5 is a full synthetic fuel economy motor oil developed according the most recent technology and based on specially selected base oils with a high natural viscosity index. This full synthetic engine oil is specifically developed to meet the **Opel OV0401547** specification. The ultra-low viscosity grade of this lubricant enables the latest engine designs to reach their predetermined fuel-economy goals. With the addition of a well-balanced choice of advanced additives the following properties are obtained:

- outstanding engine cleanliness and durability.
- High and very stable viscosity index
- lower fuel consumption and CO₂ emissions.
- A fast cold start excellent fluidity at low temperature.

SYNTULA 0W20 C5 meets the following specifications:

ACEA; C5

API SP **Resource Conserving**

ILSAC: GF-6A

BMW Approval Longlife 17FE+

GM: DEXOS D, OPEL OV0401547

JAQUAR-LANDROVER: STJL R.03.5006

MB: 229.71

Volvo: VCC RBSO-2AE

RN 17 FE

Chrysler MS-12145

Ford WSS-M2C947-B1

APPLICATIONS :

This engine oil offers complete protection to a range of modern passenger car and light truck diesel and gasoline engines, equipped with or without emission aftertreatment system. Furthermore, it can be used in combination with the latest fuel types, such as biofuels and ethanol-based fuels. The **API SP** specification shows the lubricant's compatibility with highly fuel-efficient GDI engines, in which this oil prevents LSPI from damaging the engine components. This engine oil enables some of the most advanced engine designs to reach their targeted fuel-economy levels, which is proven by meeting the **MB 229.71** and **BMW Longlife-17FE+** specifications.

TYPICAL CHARACTERISTICS :

Test	Method	Unit	Average result
SAE-class			0W20
Density at 15°C	D4052	kg/l	0,845
Viscosity at 40°C	D445	mm ² /s	41
Viscosity at 100°C	D445	mm ² /s	8.01
Viscosity index	D2270		176
Flash point COC	D92	°C	221
Pour point	D6892	°C	-57
Sulfated ash	D874	massa %	0,6

We reserve the right to alter the general characteristics of our products in order to let our customers benefit of the latest technical evolutions. Product code: ARV142